

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L2	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L3	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L4	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L5	857	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L6	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L7	2351	L1 L2 L3 L4 L6 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L8	1	L7 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L9	118920	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L10	1232	L7 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L11	141	L10 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L12	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48

L13	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L14	1784	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L15	3	L14 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L16	1085	L14 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L17	135	L16 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L18	3	("20020089542" "20020196281" "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L19	1	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L20	4	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L21	126	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L22	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L23	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L24	24	L21 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L25	7	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L26	17	L24 not L25	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L27	10166	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L28	658	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L29	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L30	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L31	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L32	83372	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L33	2	L32 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L34	46	L32 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L35	15	L32 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L36	157	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L37	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L38	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L39	5	L38 not L37	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L40	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L41	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L42	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L43	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L44	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L45	2351	L40 L41 L42 L43 L44 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L46	1232	L45 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L47	141	L46 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L48	21	L47 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L49	2	L47 and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L50	23	L47 and null	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L51	24	L47 and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L52	98	L46 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L53	1	L46 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48

L54	20	L46 and token and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L55	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L56	105564	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L57	127	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L58	60	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L59	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L60	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L61	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L62	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L63	32	L59 not L62	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L64	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L65	1109	"aid keys"and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L66	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L67	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L68	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L69	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L70	857	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L71	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L72	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L73	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L74	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L75	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L76	2351	L73 L74 L75 L72 L71 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L77	1	L76 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48

L78	118920	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L79	1232	L76 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L80	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L81	141	L79 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L82	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L83	1784	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L84	3	L83 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L85	1085	L83 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L86	135	L85 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L87	3	("20020089542" "20020196281" "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L88	1	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L89	4	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L90	126	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L91	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L92	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L93	24	L90 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L94	7	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L95	17	L93 not L94	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L96	10166	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L97	658	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L98	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L99	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L100	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L101	83372	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L102	2	L101 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L103	46	L101 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L104	15	L101 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L105	157	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L106	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L107	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L108	5	L107 not L106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L109	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L110	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L111	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L112	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L113	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L114	2351	L113 L112 L109 L110 L111 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48

L115	1232	L114 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L116	141	L115 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L117	24	L116 and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L118	21	L116 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L119	2	L116 and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L120	23	L116 and null	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L121	98	L115 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L122	1	L115 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L123	20	L115 and token and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L124	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L125	105564	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L126	127	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L127	60	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L128	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L129	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L130	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L131	32	L129 not L130	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L132	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L133	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L134	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L135	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L136	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L137	857	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L138	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L139	2351	L133 L134 L135 L136 L138 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L140	1	L139 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L141	118920	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L142	1232	L139 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48

L143	141	L142 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L144	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L145	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L146	1784	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L147	3	L146 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L148	1085	L146 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L149	135	L148 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L150	3	("20020089542" "20020196281" "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L151	1	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L152	4	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L153	126	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L154	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L155	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L156	24	L153 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L157	7	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L158	17	L156 not L157	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L159	10166	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L160	658	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L161	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L162	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L163	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L164	83372	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L165	2	L164 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L166	46	L164 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L167	15	L164 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L168	157	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L169	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L170	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L171	5	L170 not L169	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L172	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L173	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L174	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L175	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L176	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L177	2351	L172 L173 L174 L175 L176 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L178	1232	L177 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L179	141	L178 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48

L180	21	L179 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L181	2	L179 and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L182	23	L179 and null	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L183	24	L179 and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L184	98	L178 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L185	1	L178 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L186	20	L178 and token and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L187	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L188	105564	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L189	127	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L190	60	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L191	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L192	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L193	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L194	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L195	32	L191 not L194	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L196	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L197	1109	"aid keys"and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L198	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L199	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L200	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L201	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L202	857	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L203	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L204	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L205	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48

L206	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L207	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L208	2351	L205 L206 L207 L204 L203 and (@ad <= "20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L209	1	L208 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L210	118920	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L211	1232	L208 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L212	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L213	141	L211 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L214	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L215	1784	(715/762,764.ccls.) and (@ad <= "20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L216	3	L215 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L217	1085	L215 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L218	135	L217 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48

L219	3	("20020089542" "20020196281" "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L220	1	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L221	4	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L222	126	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L223	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L224	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L225	24	L222 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L226	7	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L227	17	L225 not L226	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L228	10166	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L229	658	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L230	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48

L231	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L232	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/16 05:48
L233	83372	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L234	2	L233 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L235	46	L233 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L236	15	L233 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L237	157	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L238	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L239	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L240	5	L239 not L238	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L241	69	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48

L242	1020	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L243	668	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L244	251	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L245	570	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/01/16 05:48
L246	2351	L245 L244 L241 L242 L243 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L247	1232	L246 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L248	141	L247 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L249	24	L248 and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L250	21	L248 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L251	2	L248 and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L252	23	L248 and null	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L253	98	L247 and token	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L254	1	L247 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L255	20	L247 and token and blank	US-PGPUB; USPAT	OR	ON	2009/01/16 05:48
L256	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/16 05:48
L257	105564	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L258	127	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

L259	60	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L260	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L261	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L262	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L263	32	L261 not L262	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L264	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L265	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48
L266	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 05:48

1/16/2009 6:03:37 AM

C:\Documents and Settings\NAugustine\My Documents\EAST\Workspaces\Thuy Workspaces
 \10749125_VisualEnhancement_322.wsp